



# Mid-Atlantic Indoor Network Venue Information Form

Please provide the following information about your event. It will be published on MAIN's website.

**Competition Site Information:** (please type in the gray area)

**Contest Host: Ross Hecht and Christa Benoit**

**Competition Site Name: Allentown High School**

**Complete Address: 27 High St. Allentown, NJ 07728**

**COMPETITION AREA MEASUREMENTS & INFO** (Please do all measurements in feet & inches.)

Number of rows Spectator side of bleachers: 9 Seating capacity: 400 (leaving Judges zone blocked off)

Number of rows Backside of bleachers (if applicable): 9 Seating capacity: 500

Approximate ceiling height: 18 ft, 6"


Any permanent obstructions above the competition floor (immovable hoops, lights, scoreboard, etc.)? Basketball hoops will be raised to the highest position but should not obstruct performance.

Separate entry & exit doors for spectators? **YES**  **NO**

Is the performance entry door separate from performance exit door? **YES**  **NO**

If no, please explain how you enter and exit the performance floor without cross traffic.

If the back bleachers will be extended, please extend them out and then do the measurement. If they will not be extended, then measure to the bleachers.



Measurement of side wall to side wall (length of entire gym): 101 ft

Measurement of front row of bleachers to back sideline bleachers (if used): 66ft

Are there any stairways within the flow of contest traffic? YES  NO  (Bleachers will be open, but no stairways on campus)

If yes, please explain where they are located and how they will affect the flow of traffic for the competing groups. entrance of gym. Bleachers will open.

Do you enter Competition Area directly from outdoors? YES  NO

Performance Entry door width X height (inches): 5ft 10in X 6ft 11in Is there a removable center bar? YES  NO  N/A – no bar

Can it be removed for the event? YES  NO  N/A

Do you exit Competition Area directly to outdoors? YES  NO

Performance Exit door width X height (inches): 5ft 10in X 6ft 11in Is there a removable center bar? YES  NO  N/A – no bar

Can it be removed for the event? YES  NO  N/A

Where is the electrical power located in your performance gym (check all that apply)?

Front Side  Back Side  Side Walls  Other, please explain:

What, if any, indoor space is available to stage equipment, floors, props, etc. prior to competition? Hallway next to gym. Units will pick up equipment on their way to performance.

What, if any, indoor space is available to fold floors at the conclusion of a group's performance? Half of gym. (The other half of the warmup gym)

Will you have a tarp or floor covering down? TARP  FLOOR COVERING  NONE

***The following photos of your main performance gym are required:***

Please see example photos on WGI's website at [www.wgi.org](http://www.wgi.org)

\*\*One photo of the performance floor from the spectator side of the bleachers, preferably with all bleachers extended as would be on the day of the show.

\*\*One photo from the performance floor via the performer's perspective from the center of the floor.

*Any other photos you would like to provide to help your facility stand out against others are also welcome.*

**WARM-UP AREAS INFORMATION (Please do all measurements in feet & inches.)**

Are there separate areas for body and equipment? YES  NO

**Body Warm-Up** (if applicable)

What type of area do you have available for body warm-up (wrestling room, band room, hallway)? Hallway

Measurement of side wall to side wall (length of entire area): 65ft

Measurement from front of area to back of area (width of entire area): 16ft

Any obstructions **IN** the area (gym equipment, pillars, etc.)? YES  NO

If yes, please list the obstructions:

Can any sound in the Body Warm-up Area be heard in Competition Area? YES  NO

Distance from Body to Equipment in time (i.e. 2 minutes): 1 minute

### Equipment Warm-Up

What type of area do you have available for equipment warm-up (gym, auditorium, commons area)? Half of gym

Measurement of side wall to side wall (length of entire area): 50ft

Measurement from front of area to back of area (width of entire area): 75ft

Approximate ceiling height (VERY IMPORTANT): 13ft near hoops, 18-19 ft away from hoops

Any obstructions **IN or ABOVE** above the area (gym equipment, pillars, immovable hoops)? YES  NO

If yes, please list the obstructions: Raised basketball hoops on the outskirts of gym. Warmup area in the middle will allow plenty of space for tossing, etc.

Can any sound in the Equipment Warm-up Area be heard in Competition Area? YES  NO

Distance to Competition Area from Equipment Warm-Up in time (i.e. 2 minutes): 2 minutes for entire group to make the switch.

### ***The following photos of your warm-up areas are required:***

Body Warm-Up (if applicable)

Equipment Warm-Up

*Any other photos you would like to provide to help your facility stand out against others are also welcome.*

### **Other Information**

Approximately how far are you from a major airport? PHL, 52 minutes

Are there full service hotel properties in your area? YES  NO

Do you have access to two separate rooms for judges and tabulation where food service is allowed? YES  NO

Is there an adequate area for vendors and concessions (all vendors/concessions will be provided/booked by the show host, with the exception of MAIN Championships)? YES  NO

Is there adequate parking for a number of buses & trucks plus spectators? **YES**  **NO**

Does your facility have a parking fee? **YES**  **NO**  Price \$

Do you have access to a sound system with mixing board, compact disc player, MP3/IPOD hookup, amplifier, speakers, etc.? **YES**  **NO**

If no, please explain:

**Additional Comments:**

\*\*Please email completed form and pictures to the Executive Board at [maincolorguards@gmail.com](mailto:maincolorguards@gmail.com)